

G GARLIC-TO

กระเทียมสกัดสูตรเข้มข้นผลิตจากแหล่งวัตถุดิบทางภาคเหนือของไทย นำมาคัดแยกเปลือก แล้วผ่านขบวนการ spray dried จนให้ผงแห้งละเอียดคงไว้ซึ่งคุณประโยชน์และสรรพคุณทางสมุนไพร

Concentrate Garlic Extract made from raw material sources in northern part of Thailand which is peeled and spray dried into powder. Garlic-To maintains all of the benefits and properties of herbs.

การลิก-โต ประกอบด้วยสารอัลลิซิน (allicin) และอนุพันธ์ของอัลลิซิน เช่น ไดอัลลิลซัลไฟด์ (diallyl sulfide) และไดอัลลิลไดซัลไฟด์ (diallyl disulfide) ซึ่งเป็นสารประกอบกำมะถันที่มีฤทธิ์ฆ่าแบคทีเรียที่มีทำให้เกิดโรคริดได้ โดยไม่รบกวนแบคทีเรียตัวอื่นที่มีประโยชน์ต่อลำไส้ นอกจากนี้ยังมีฤทธิ์ยับยั้งเชื้อรา ไวรัสและโปรโตซัว รวมทั้งมีฤทธิ์กระตุ้นการขับถ่ายและช่วยกำจัดเชื้อโรคอีกด้วย

การลิก-โต ช่วยส่งเสริมการทำงานของระบบภูมิคุ้มกัน จึงสามารถช่วยบรรเทาอาการอักเสบเนื่องจากการติดเชื้อแบคทีเรียหรือเชื้อรา

การลิก-โต ประกอบด้วยใยอาหารชนิดละลายน้ำได้ โดยเฉพาะอินนูลิน และฟรุคโตโอลิโกแซคคาไรด์ช่วยส่งเสริมการเจริญของจุลินทรีย์ที่มีประโยชน์ในลำไส้

การลิก-โต ประกอบด้วยซีเลเนียม (Selenium) ซึ่งเป็นแอนติออกซิแดนท์ (Anti-oxidant) ช่วยป้องกันไม่ให้เนื้อเยื่อถูกทำลาย

ส่วนประกอบใน 1 กิโลกรัม

- สารเหนียว 10%
- กระเทียมผง 90%

อัตราการใช้

1. กรณีแก้ไขอาการขี้ขาว (white gut) ใช้การลิก-โต 3-5 กรัม/อาหาร 1 กก. 2-3 นื้อ/วัน ติดต่อกัน 3-5 วัน
2. กรณีป้องกันการติดเชื้อแบคทีเรีย/เชื้อราที่ก่อให้เกิดโทษ ใช้การลิก-โต 1-3 กรัม/อาหาร 1 กก. วันละ 1 นื้อ

การผสม นำการลิก-โต ตามปริมาณที่ต้องการใช้มาผสมอาหารให้ทั่ว จากนั้นพรมน้ำพอหมาด ๆ พึ่งให้แห้ง

ขนาดบรรจุ 1 กิโลกรัม

จัดทำจำหน่ายโดย

Garlic-To contains sulfur compounds allicin and derivatives of allicin: diallyl sulfide and diallyl disulfide. These compounds can kill bacteria that usually cause the disease without disturbing the other bacteria that are beneficial to the intestines. Moreover, it also inhibited growth of fungi, viruses and protozoa as well. Garlic-To is used as a laxative and bactericidal in pathology well.

Benefits

- Stimulate immune system which help to relieve inflammation from bacteria or fungi infection
- Promote growth of useful microorganism in intestine by water soluble fiber especially inulin and Fructooligosaccharide in Garlic-To
- Prevent tissue damage with Selenium mineral

Composition (1 Kg)

- Garlic powder 90 %
- Binder 10 %

Recommended Dosage:

1. Treatment program (white gut) : 3-5 g/kg feed, 2-3 times/day for 3-5 days
2. Prevention program : 1-3 g/kg feed, 1 time a day

Application

1. Applied as top dressing on feed
2. Mix well then put little water
3. Let it air dry before use

Registration No :

Lot No.



บริษัท มารีน ลีดเดอร์ จำกัด
18/19 ซ.จันทน์ 43 แขวง 26-5 แขวงบางโคล่
เขตบางคอแหลม กรุงเทพมหานคร 10120
โทร. 0-2212-4672, 081-565-6659 โทรสาร. 0-2212-4673
E-mail : marineleader@hotmail.com www.marineleader.co.th

MARINE LEADER CO., LTD.
18/19 Soi Chan 43 Yaek 26-5 Bangkhlo, Bangkholaem,
Bangkok 10120 Thailand
Tel : +66 2212 4672 , Fax : +66 2212 4573
E-mail : marineleader@hotmail.com www.marineleader.co.th

GARLIC-TO



Concentrate Garlic Extract made from raw material sources in northern part of Thailand which is peeled and spray dried into powder. Garlic-To maintains all of the benefits and properties of herbs.

Garlic-To contains sulfur compounds allicin and derivatives of allicin: diallyl sulfide and diallyl disulfide. These compounds can kill bacteria that usually cause the disease without disturbing the other bacteria that are beneficial to the intestines. Moreover, it also inhibited growth of fungi, viruses and protozoa as well. Garlic-To is used as a laxative or antibiotics in pathology well.

Benefits

- ✓ Stimulate immune system which help to relieve inflammation from bacteria or fungi infection
- ✓ Promote growth of useful microorganism in intestine by water soluble fiber especially inulin and fructo oligosaccharide in Garlic-To
- ✓ Prevent tissue damage with Selenium mineral

Application

- ✚ Applied as top dressing on feed
- ✚ Mix well then put little water
- ✚ Let it air dry before use

Recommended Dosage:

1. Prevention program : 1-3 g/kg feed, 1 time a day
2. Treatment program (white gut) : 3-5 g/kg feed, 1 time a day for 3-5 days



Marine Leader Co., Ltd.

18/19 Chan 43 Yak 26-5 Bangkhlo, Bangkholaem, Bangkok 10120, Thailand

Tel. (66)2-212-4672, Fax. (66)2-212-4673

E-mail: marineleader@hotmail.com • www.marineleader.com